



## WS International 2.4m Prime Focus C/Ku Band Satellite Dish

Specification	
<b>REFLECTOR</b>	
Model:	WS24095
Type	Prime
Diameter	240 cm
Panels (sections)	6
Aperture Efficiency	70% min.
C – Band Gain @4.0 GHz	35.89 dB
KU – Band Gain @12.5 GHz	45.54 dB
F/D Ratio	0.38
Focus Length	682 mm
Material	Steel
Finish	Polyester Powder Coating
Color	Grey / Cool Grey
<b>MOUNTING</b>	
Mounting Type	Ground Mount
Elevation Angle Range	0° - 90°
Azimuth	0° - 360°
Material	Steel
Finish	Polyester Powder Coating
Color	Grey / Cool Grey
Pole Diameter Acceptable	75 mm
Net Weight	29.0 kg
<b>ENVIRONMENT</b>	
Operational Winds	25 m / sec
Survival Winds	40 m / sec
Ambient Temperature	-40°C ~ +60°C
Relative Humidity	0 ~ 100 %




1815 Turnberry Lane


Atlanta, GA 30005 USA

Phone: (770) 757 1767

Fax: (770) 754 4547

Website: <http://www.servsat.com>







**Thickness  
=  
5.5"**

**Model: WS24095  
Size: 240cm / 8'  
Mount: Ground Mount  
Weight: 125lbs  
Volume: 7.79cu.ft.**

## WS International

WS24095 2.4 Meter  
Prime Focus C Band Dish



NO.	MTN	DESCRIPTION	QTY
1		16x4 45mm hex head cap screw	30
2		16x4 45mm hex head cap screw	12
3		16x4 45mm hex head cap screw	2
4		16x4 45mm hex head cap screw	2
5		16x4 45mm hex head cap screw	2
6		1/2" 14 nylon lock	2
7		16x4 45mm hex head cap screw	44
8		16x4 45mm hex head cap screw	1
9		16x4 45mm hex head cap screw	1
10		Mounting clamp	4
11		1/2" Flat Washer	6
12		16x4 45mm hex head cap screw	1
13		16x4 45mm hex head cap screw	1
14		Feed horn (RH) Supporting Plate	2
20		Reflector Dish	6
21		16x4 45mm hex head cap screw	7
22		16x4 45mm hex head cap screw	2
23		16x4 45mm hex head cap screw	1
24		16x4 45mm hex head cap screw	1
25		16x4 45mm hex head cap screw	4
26		16x4 45mm hex head cap screw	7
27		16x4 45mm hex head cap screw	1
28		16x4 45mm hex head cap screw	1
29		16x4 45mm hex head cap screw	2

QTY	DESCRIPTION	QTY	DESCRIPTION
1	4mm	1	16x4 45mm hex head cap screw
1	16	1	16x4 45mm hex head cap screw
1	16	1	16x4 45mm hex head cap screw